INDEX TO VOLUME 22

AUTHOR INDEX

Abdenour TE, Miner MJ, Weir N: Attitudes of intercollegiate football players toward drug testing, 199-201.

Albohm MJ: see Weesner CL.

Anderson JC, Brunt D, Semmer DS, Goddard SD: E.M.G. response of the leg muscles to lateral postural perturbation: implications for ankle sprains (abs), 108.

Baker RJ, Bell GW: Determination of blood flow to the human calf during and following the application of therapeutic modalities (abs), 107.

Bell AT, Horton PG: The use and abuse of hydrotherapy in athletics: a review, 115-119.

Bell GW, Bomkamp BJ: Assessment of calf blood flow during and following immersion in cold water at various therapeutic temperatures (abs), 106-107.

Bell GW: see Baker RJ.

Bisek AM: Shin splint taping: something extra, 216.

Bomkamp BJ: see Bell GW.

Brevis BP: The effect of induce-delayed muscle soreness on the active biceps brachii muscle (abs), 108.

Brunt D: see Anderson JC.

Buchanan PA, Kegerris ST, Smith BA: Influence of isokinetic testing on measurements of anterior knee laxiety (abs), 108.

Buxton BP: see Gieck J.

Craft KS: see Cornelius WL.

Craig BW: see Kovaleski J.

Combs JA: Myositis ossificans traumatica pathogenesis and management, 193-198.

Cornelius WL, Craft KS: The acute effects of proprioceptive neuromuscular facilitation flexibility techniques on arterial blood pressure (abs), 108.

Costill DL: see Kovaleski J.

Draper DO: An evaluation model of the student athletic trainer's clinical field experience (abs), 109.

Draper DO: An evaluation model of the student athletic trainer's clinical field experience, 111-114.

Doyle R: Relationship among calcium intake, secondary amenorrhea in female college cross country/track athletes (abs), 106.

Fish DR: see Grant JD.

Francis RS: "Tape cast" for the treatment of chronic charleyhorse and hamstring strains, 217-218.

Frazier CL: see Rauls BL.

Gieck J, Buxton BP: Reflex sympathetic dystrophy, 120-123, 125.

Goddard SD: see Anderson JC.

Grant JD, Fish DR, Whieldon TJ, Pendergast DR: Vascular adjustments to cold water immersion of the forearm (abs), 107.

Habansky AJ: see Kovaleski J.

Horton PG: see Bell AT.

Jackson C: see Woodhouse ML.

Johnson PG: see Singer RN.

Keene JS: Diagnostic dilemmas in foot and ankle injuries, 40.

Kegerreis S, Wetherald T: The utilization of functional progressions in the rehabilitation of injured wrestlers, 32-35.

Kegerreis ST: see Buchanan PA.

Knight KL: The athletic trainer as a broker (editorial), 323.

Knight KL: Free communication and knowledge growth (editorial), 144.

Knight KL: Journal policies and procedures (editorial), 83.

Knight KL: see Mancuso D.

Kovaleski J, Craig BW, Costill DL, Habansky AJ, Matchett LJ: Rehabilitation after arthroscope meniscectomy of the knee: influence of age (abs), 106.

Landry GL: see Winterstein AP.

Lephart SM: see Perrin DH.

Lephart SM: see Perrin DH.

Liederback M: Correlation of isokinetic strength assessment to a new manual muscle tester (abs), 109.

Loudon JK: Pool therapy, 326.

Mancuso D, Knight KL: Effect of prior physical activity on skin surface temperature response of the ankle during and after a 30 minute ice pack application (abs), 107-108.

Mangus BC: Sports injuries, the disabled athlete, and the athletic trainer, 305.

Matchett LJ: see Kovaleski J.

Miles BJ: Injuries on the road: good information reduces problems, 127.

Miner MJ: see Abdenour TE.

National High School Injury Registry: Study shows 23% of girls who play prep basketball injured this year (press release), 269-271.

National High School Injury Registry: Build strength, warm up to reduce risk of injury (press release), 271-273.

National High School Injury Registry: Injury toll among prep athletes at one million (press release), 273.

Nevole GJ, Prentice WP: The effect of anabolic steroids on female athletes, 297.

Partin N: Safe weight gain (Medical Update), 319.

Pendergrast DR: see Grant JD.

Perrin DH, Lephart SM: Role of the NATA curriculum director as educator and clinician (abs), 110.

Perrin DH, Lephart SM: Role of the NATA curriculum director as clinician and educator, 301.

Powell JW: 636,000 Injuries Annually in High School Football, 19-22.

Powell JW: Incidence of injury associated with playing surfaces in the national football league, 202-206.

Prentice WP: see Nevole GJ.

Rauls BL, Thorpe WP, Frazier CL: The education required of athletic trainers to evaluate knee, shoulder and foot injuries; survey of orthpaedists (abs), 109.

Ray R: A survey of Michigan school superintendents' knowledge of and attitudes toward athletic trainers, and legal liability, 311.

Ritter MA: see Weesner CL.

Robertson RJ: see Zando KA.

Scheiderer LL: A Survey of the practices of appointing and utilizing intercollegiate athletic team physicians, 211-214.

Schulthies S: Preventing the recurrence of hamstring strains, 223-227.

Semmer DS: see Anderson JC.

Singer KP: Diagonal shoulder rehabilitation using the orthotron, 124-125.

Singer RN, Johnson PJ: Strategies to cope with pain associated with sports related injuries, 100-105.

Smith BA: see Buchanan PA.

Stopka CB: Hydrotherapy: invaluable, and now inexpensive, 219-220.

Thorpe WP: see Rauls BL.

Troxel RK: see Winterstein AP.

Vaccaro PS: Thoracic and vascular injuries in athletes, 290.

Velasquez BJ: Open-backed ankle tape job and alternative method for taping achilles tendinitis, 321.

Visnick AL: A playing orthosis for "turf toe", 215.

Visnick AL: Drop wrist: complications following a comminuted fracture of the radius: Orthotic glove

INDEX TO VOLUME 22

AUTHOR INDEX

Abdenour TE, Miner MJ, Weir N: Attitudes of intercollegiate football players toward drug testing, 199-201.

Albohm MJ: see Weesner CL.

Anderson JC, Brunt D, Semmer DS, Goddard SD: E.M.G. response of the leg muscles to lateral postural perturbation: implications for ankle sprains (abs), 108.

Baker RJ, Bell GW: Determination of blood flow to the human calf during and following the application of therapeutic modalities (abs), 107.

Bell AT, Horton PG: The use and abuse of hydrotherapy in athletics: a review, 115-119.

Bell GW, Bomkamp BJ: Assessment of calf blood flow during and following immersion in cold water at various therapeutic temperatures (abs), 106-107.

Bell GW: see Baker RJ.

Bisek AM: Shin splint taping: something extra, 216.

Bomkamp BJ: see Bell GW.

Brevis BP: The effect of induce-delayed muscle soreness on the active biceps brachii muscle (abs), 108.

Brunt D: see Anderson JC.

Buchanan PA, Kegerris ST, Smith BA: Influence of isokinetic testing on measurements of anterior knee laxiety (abs), 108.

Buxton BP: see Gieck J.

Craft KS: see Cornelius WL.

Craig BW: see Kovaleski J.

Combs JA: Myositis ossificans traumatica pathogenesis and management, 193-198.

Cornelius WL, Craft KS: The acute effects of proprioceptive neuromuscular facilitation flexibility techniques on arterial blood pressure (abs), 108.

Costill DL: see Kovaleski J.

Draper DO: An evaluation model of the student athletic trainer's clinical field experience (abs), 109.

Draper DO: An evaluation model of the student athletic trainer's clinical field experience, 111-114.

Doyle R: Relationship among calcium intake, secondary amenorrhea in female college cross country/track athletes (abs), 106.

Fish DR: see Grant JD.

Francis RS: "Tape cast" for the treatment of chronic charleyhorse and hamstring strains, 217-218.

Frazier CL: see Rauls BL.

Gieck J, Buxton BP: Reflex sympathetic dystrophy, 120-123, 125.

Goddard SD: see Anderson JC.

Grant JD, Fish DR, Whieldon TJ, Pendergast DR: Vascular adjustments to cold water immersion of the forearm (abs), 107.

Habansky AJ: see Kovaleski J.

Horton PG: see Bell AT.

Jackson C: see Woodhouse ML.

Johnson PG: see Singer RN.

Keene JS: Diagnostic dilemmas in foot and ankle injuries, 40.

Kegerreis S, Wetherald T: The utilization of functional progressions in the rehabilitation of injured wrestlers, 32-35.

Kegerreis ST: see Buchanan PA.

Knight KL: The athletic trainer as a broker (editorial), 323.

Knight KL: Free communication and knowledge growth (editorial), 144.

Knight KL: Journal policies and procedures (editorial), 83.

Knight KL: see Mancuso D.

Kovaleski J, Craig BW, Costill DL, Habansky AJ, Matchett LJ: Rehabilitation after arthroscope meniscectomy of the knee: influence of age (abs), 106.

Landry GL: see Winterstein AP.

Lephart SM: see Perrin DH.

Lephart SM: see Perrin DH.

Liederback M: Correlation of isokinetic strength assessment to a new manual muscle tester (abs), 109.

Loudon JK: Pool therapy, 326.

Mancuso D, Knight KL: Effect of prior physical activity on skin surface temperature response of the ankle during and after a 30 minute ice pack application (abs), 107-108.

Mangus BC: Sports injuries, the disabled athlete, and the athletic trainer, 305.

Matchett LJ: see Kovaleski J.

Miles BJ: Injuries on the road: good information reduces problems, 127.

Miner MJ: see Abdenour TE.

National High School Injury Registry: Study shows 23% of girls who play prep basketball injured this year (press release), 269-271.

National High School Injury Registry: Build strength, warm up to reduce risk of injury (press release), 271-273.

National High School Injury Registry: Injury toll among prep athletes at one million (press release), 273.

Nevole GJ, Prentice WP: The effect of anabolic steroids on female athletes, 297.

Partin N: Safe weight gain (Medical Update), 319.

Pendergrast DR: see Grant JD.

Perrin DH, Lephart SM: Role of the NATA curriculum director as educator and clinician (abs), 110.

Perrin DH, Lephart SM: Role of the NATA curriculum director as clinician and educator, 301.

Powell JW: 636,000 Injuries Annually in High School Football, 19-22.

Powell JW: Incidence of injury associated with playing surfaces in the national football league, 202-206.

Prentice WP: see Nevole GJ.

Rauls BL, Thorpe WP, Frazier CL: The education required of athletic trainers to evaluate knee, shoulder and foot injuries; survey of orthpaedists (abs), 109.

Ray R: A survey of Michigan school superintendents' knowledge of and attitudes toward athletic trainers, and legal liability, 311.

Ritter MA: see Weesner CL.

Robertson RJ: see Zando KA.

Scheiderer LL: A Survey of the practices of appointing and utilizing intercollegiate athletic team physicians, 211-214.

Schulthies S: Preventing the recurrence of hamstring strains, 223-227.

Semmer DS: see Anderson JC.

Singer KP: Diagonal shoulder rehabilitation using the orthotron, 124-125.

Singer RN, Johnson PJ: Strategies to cope with pain associated with sports related injuries, 100-105.

Smith BA: see Buchanan PA.

Stopka CB: Hydrotherapy: invaluable, and now inexpensive, 219-220.

Thorpe WP: see Rauls BL.

Troxel RK: see Winterstein AP.

Vaccaro PS: Thoracic and vascular injuries in athletes, 290.

Velasquez BJ: Open-backed ankle tape job and alternative method for taping achilles tendinitis, 321.

Visnick AL: A playing orthosis for "turf toe", 215.

Visnick AL: Drop wrist: complications following a comminuted fracture of the radius: Orthotic glove

designed to permit participation, 221-222.
Vogelbach WD: A biomechanical approach to the management of chronic lower extremity pathologies as they relate to excessive pronation, 6-18.
Weesner CL, Albohm MJ, Ritter MA: Clinical usage and application of instrumental cruciate ligament assessment, 29-31.
Weir N: see Abdenour TE.
Wetherald T: see Kegerreis ST.
Whieldon TJ: see Grant JD.
Whyte JD: Eye injuries, 207-210.
Williams M: see Woodhouse ML.
Winterstein AP, Landry GL, Troxel RK: Unhealthy weight loss practices in high school wrestlers (abs), 106.
Woodhouse ML, Williams M, Jackson C: The effects of varying doses of orally ingested bee pollen extract upon selected performance variables, 26-28.
Zando KA, Robertson RJ: The validity and relationship of the cramer skyndex caliper in the estimation of percent body fat, 23-25.
Zylks DR: Alternative taping for plantar fasciitis, 317.

SUBJECT INDEX

Achilles tendinitis, 321
Activity level, effects on skin surface temperature, 107
Administration, injury reports, 127
Administration, team physician, 211
Amenorrhea, 106
Anabolic steroids, 297
Anabolic steroids, 319
Ankle, lateral postural perturbation, 108
Ankle, skin temperature response to cold, 107
Arm injuries, radius, 221
Arterial blood pressure, 108
Arthroscopy, 106
Assessment, cruciate ligaments, 29
Athlete, disabled, 305
Athletes, female, 297
Athletic trainer, broker, 323
Athletic trainer, field experience, 109
Athletic trainers, attitudes toward, 311
Attitudes toward athletic trainers, 311
Basketball, injuries to high school girls, 269
Bee pollen, 26
Biceps brachii, 108
Biomechanics of lower extremity, 6
Blood flow, cold immersion forearm, 107
Blood flow, ice immersion, calf, 106
Blood pressure, with pnf, 108
Body fat, validity of testing, 23
Calcium, 106
Charleyhorse, 217
Chronic injuries, charleyhorse, 217
Chronic injuries, hamstring, 217
Chronic injuries, lower extremity, 6
Clinical applications, ligament assessment, 29
Clinical experience, student athletic trainers, 109
Clinician, NATA curriculum director, 301
Clinician, NATA curriculum director, 110
Cold application, ankle, 107
Communication, knowledge, editorial, 144
Cross country, 106
Cryotherapy, ankle, 107
Cryotherapy, calf, 106
Cryotherapy, hydrotherapy, 115
Curriculum, role of director, 301
Curriculum, role of director, 110
Disabled athlete, 305
Drop wrist, 221
Drug testing attitudes of football players, 199
Drugs, 130
Drugs, attitudes toward testing, 199
Dystrophy, 120
Education, injury evaluation, 109
Education, role of curriculum director, 110
Educator, NATA curriculum director, 301
Emg, 108
Eye injuries, 207
Female athletes, 297
Foot, evaluation education, 109
Football, attitudes toward drug testing, 199
Football, incidence of injury, playing surface, 202
Football, injuries in H.S. football, 19
Forearm, vascular adjustments to cold, 107
Fractures, radius, 221
Hamstring, chronic injury, 217
Hamstring, prevention of recurrence, 223
Hamstring, treatment with tape, 217
Head injuries, 130
High school athletes, injury toll, 273
Hydrotherapy, 219
Hydrotherapy, use/abuse, 115
Immunity, 130
Injury, ankle, 108
Injury, arm, 221
Injury, associated pain, 100
Injury, chronic, 217
Injury, eyes, 207
Injury, football, 19
Injury, football playing surfaces, 202
Injury, head, 130
Injury, high school athletes, 273
Injury, high school football, 19
Injury, high school girl's basketball, 269
Injury, myositis ossificans traumatica, 193
Injury, on the road, administration, 127
Injury, prevention hamstrings, 223
Injury, reduce risk through warm up, 271
Injury, rehabilitation injured wrestlers, 32
Injury, sports, disabled athlete, 305
Injury, thoracic, 290
Injury, toe, 215
Injury, vascular, 290
Injury, wrestling, 32
Intercollegiate athletics, 211
Isokinetic strength, 109
Isometric testing, 108
Journal, policies, procedures, 83
Knee, evaluation education, 109
Knee, isokinetic strength, 108
Knee, rehabilitation following meniscectomy, 106
Leg muscles, 108
Legal liability, 311
Liability, legal, 311
Ligament, 29
Ligaments, knee laxiety, 108
Lower extremity, 6
Meniscectomy, 106
Modalities, determination of blood flow, 107
Modalities, hydrotherapy, 115
Muscle soreness, induce delayed, 108
Muscle testing, isokinetic strength assessment, 109
Muscle, sympathetic dystrophy, 120
Myositis, 193
Orthosis, turf toe, 215
Orthotron, shoulder rehabilitation, 124

Pain, strategies to cope, 100
Performance variables, bee pollen, 26
Performances, effects of bee pollen extracts, 26
Plantar fasciitis, 317
Playing surfaces, football, 202
Pnf, 108
Policies, journal, 83
Pool therapy, 326
Procedures, journal, 83
Pronation, excessive, 6
Radius, fracture, 221
Rehabilitation, functional progressions, 32
Rehabilitation, knee post meniscectomy, 106
Rehabilitation, pool therapy, 326
Rehabilitation, shoulder, 124
Rehabilitation, wrestlers, 32
School system knowledge of athletic training, 311
Shin splints, 216
Shoulder evaluation education, 109
Shoulder rehabilitation, 124
Skin caliper, 23
Skin temperature, ankle, 107
Sports injury, disabled athletes, 305
Sports injury, pain management, 100
Steroids, 297
Strains, hamstrings, 223
Strength building through warm-up, 271
Student trainer, field experience, 109
Tape, ankle, achilles tendinitis, 321
Taping, achilles tendinitis, 321
Taping, charleyhorse, hamstring strains, 217
Taping, plantar fasciitis, 317
Taping, shin splints, 216
Team physician, 211
Temperature, effects on blood flow, 106
Therapeutic modalities, blood flow, 107
Therapy, hydrotherapy, 115
Therapy, pool, 326
Thoracic injuries, 290
Toe injuries, 215
Track, 106
Trainer's role, disabled athletes, 305
Trauma, pathogenesis, 193
Turf toe, 215
Vascular, 107
Vascular injuries, 290
Warm-up build strength, reduce risk of injury, 271
Weight gain, 319
Weight loss, 106
Wrestlers, 106
Wrestling, 32

A DYNAMIC CONCEPT IN BALANCE, FITNESS AND REHABILITATION
Utilized in hospitals, vision testing and training centres, PRO FITTER enhances proprioception and co-ordination. Sports specialists and serious athletes alike, are incorporating PRO FITTER into their training and rehabilitation programs.
used by professional and amateur teams—NHL, CFL, NFL and NBA.
FITTER products . . . designed for:
· post injury rehabilitation of ankles, knees, hips and lower spine.
· improving core stability and body awareness
· enhancing co-ordination and motor skills
· effective cardiovascular and endurance training
· body weights of 50 to 300 lbs.—with 6 tension settings
Pro Fitter
for more information on FITTER products contact:
STACK ENTERPRISES—FITTER
1021 - 10th AVENUE S.W.
CALGARY, ALBERTA T2R 0B7
(403) 244-0784
To Learn More
Call Now
1-800-661-9458
Fitter